

Table 1.1C Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
TOTAL	694	725	452	434	513	537
18	45	54	27	31	36	40
19	47	60	24	33	39	43
20	57	51	37	32	40	37
21	46	52	31	34	36	39
22	52	49	37	29	33	38
23	46	48	26	33	36	37
24	47	48	32	33	34	33
25	49	50	30	33	38	39
26-29	195	197	117	140	154	135
30-34	204	208	131	134	151	157
35-39	219	222	140	148	170	164
40-44	204	206	116	132	166	149
45-49	231	217	149	137	161	165
50-54	287	292	193	196	206	206
55-59	252	272	167	161	188	212
60-64	236	277	153	168	178	199
65 or Older	292	330	181	180	220	262

*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.1D Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2011 and 2012

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
TOTAL	0.30	0.31	0.40	0.38	0.42	0.44
18	0.82	0.94	1.01	1.10	1.36	1.44
19	0.94	1.14	1.07	1.38	1.50	1.62
20	1.06	1.00	1.48	1.35	1.52	1.41
21	0.92	1.02	1.30	1.33	1.42	1.53
22	1.00	0.95	1.44	1.23	1.35	1.38
23	1.04	1.01	1.30	1.43	1.47	1.46
24	1.00	1.02	1.36	1.42	1.50	1.43
25	1.05	1.07	1.38	1.50	1.61	1.60
26-29	0.99	1.01	1.28	1.41	1.50	1.44
30-34	0.92	0.92	1.26	1.29	1.31	1.29
35-39	0.99	0.97	1.29	1.34	1.45	1.39
40-44	0.93	0.93	1.16	1.25	1.36	1.28
45-49	0.93	0.92	1.26	1.22	1.29	1.31
50-54	1.15	1.11	1.62	1.60	1.59	1.56
55-59	1.22	1.23	1.67	1.52	1.72	1.78
60-64	1.20	1.47	1.65	1.93	1.72	2.01
65 or Older	0.73	0.79	1.03	0.98	0.97	1.12

*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.1P Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
TOTAL	0.0584		0.2108		0.1334	
18	0.4042		0.8437		0.3769	
19	0.9282		0.2280		0.4206	
20	0.7345		0.0728		0.1754	
21	0.2267		0.4847		0.3254	
22	0.4180		0.9776		0.3341	
23	0.7404		0.8069		0.7584	
24	0.1296		0.1992		0.4803	
25	0.0701		0.0539		0.4525	
26-29	0.6019		0.1933		0.7061	
30-34	0.0186		0.2686		0.0330	
35-39	0.8347		0.3588		0.6367	
40-44	0.6822		0.1269		0.5372	
45-49	0.9302		0.7727		1.0000	
50-54	0.3956		0.5814		0.5599	
55-59	0.9050		0.5969		0.5409	
60-64	0.3609		0.4052		0.6226	
65 or Older	0.0957		1.0000		0.0291	

*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.2C Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	694	725	126	122	417	434	530	561
GENDER								
Male	452	434	81	78	274	286	338	336
Female	513	537	93	91	304	305	388	414
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	641	660	112	104	373	372	500	515
White	650	679	118	119	391	372	490	522
Black or African American	232	291	54	46	152	187	163	205
American Indian or Alaska Native	68	59	7	18	29	30	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	9	*	*	*	*
Asian	169	182	44	35	98	118	124	129
Two or More Races	105	74	22	22	60	48	*	49
Hispanic or Latino	259	271	59	64	179	196	163	179
CURRENT EMPLOYMENT								
Full-Time	490	475	91	79	352	357	309	312
Part-Time	279	279	74	83	191	174	185	203
Unemployed	174	194	55	53	122	141	108	129
Other ¹	483	538	73	83	218	238	427	472

*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.2D Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	0.30	0.31	0.37	0.35	0.43	0.44	0.53	0.55
GENDER								
Male	0.40	0.38	0.47	0.45	0.57	0.60	0.73	0.70
Female	0.42	0.44	0.55	0.53	0.61	0.61	0.72	0.76
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.32	0.33	0.41	0.38	0.47	0.47	0.55	0.55
White	0.36	0.36	0.46	0.46	0.55	0.53	0.60	0.59
Black or African American	0.75	0.93	0.96	0.84	1.11	1.28	1.49	1.79
American Indian or Alaska Native	3.89	3.80	2.74	4.05	4.22	4.63	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	4.56	*	*	*	*
Asian	1.38	1.36	1.94	1.72	1.58	1.67	3.23	3.11
Two or More Races	2.78	2.18	2.46	2.42	4.00	3.28	*	3.83
Hispanic or Latino	0.76	0.78	0.84	0.90	0.99	1.07	1.82	1.91
CURRENT EMPLOYMENT								
Full-Time	0.39	0.36	0.60	0.52	0.49	0.49	0.78	0.75
Part-Time	0.76	0.74	0.65	0.71	1.37	1.29	1.51	1.56
Unemployed	1.11	1.23	1.06	1.10	1.78	2.01	2.99	3.19
Other ¹	0.61	0.65	0.72	0.80	1.23	1.31	0.79	0.84

*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.2P Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	0.0584		0.0357		0.1296		0.3578	
GENDER								
Male	0.2108		0.2131		0.0507		0.8373	
Female	0.1334		0.0823		0.7972		0.1539	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.3066		0.2149		0.3855		0.5911	
White	0.6152		0.0262		0.7548		0.9357	
Black or African American	0.0651		0.2870		0.2089		0.0655	
American Indian or Alaska Native	0.9070		0.1039		0.8751		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.6898		0.2544		0.3205		0.9168	
Two or More Races	0.1363		0.6793		0.4353		*	
Hispanic or Latino	0.0082		0.0354		0.0839		0.1736	
CURRENT EMPLOYMENT								
Full-Time	0.1950		0.5108		0.0460		0.7332	
Part-Time	0.7632		0.0282		0.2775		0.8300	
Unemployed	0.2028		0.6743		0.0772		0.9090	
Other ¹	0.1288		0.2325		0.6315		0.0813	

*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.3C Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	694	725	126	122	417	434	530	561
GEOGRAPHIC REGION								
Northeast	275	271	49	48	165	172	212	209
Midwest	271	274	49	45	166	156	200	209
South	404	462	73	74	258	277	322	363
West	405	379	76	75	249	228	287	292
COUNTY TYPE								
Large Metro	602	648	124	131	359	393	448	477
Small Metro	452	492	102	100	288	283	304	348
250K – 1 Mil. Pop.	373	379	73	75	251	233	246	264
< 250K Pop.	270	330	72	65	147	178	180	226
Nonmetro	313	328	54	42	188	160	209	244
Urbanized	206	208	43	28	129	104	132	149
Less Urbanized	223	228	35	32	132	113	153	169
Completely Rural	84	113	12	14	48	58	62	89
POVERTY LEVEL¹								
Less Than 100%	333	365	92	86	210	226	233	281
100-199%	339	367	73	69	217	229	256	272
200% or More	606	610	96	99	375	359	453	467
EDUCATION								
< High School	341	350	55	56	188	182	258	282
High School Graduate	374	423	82	81	219	243	296	334
Some College	390	394	104	96	248	250	260	299
College Graduate	418	395	52	58	270	271	307	287
HEALTH INSURANCE²								
Private	585	594	122	123	357	344	438	454
Medicaid/CHIP ³	296	299	54	60	184	172	226	239
Other ⁴	415	482	39	42	141	172	391	442
No Coverage	317	333	70	67	249	248	176	200

*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.3D Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	0.30	0.31	0.37	0.35	0.43	0.44	0.53	0.55
GEOGRAPHIC REGION								
Northeast	0.64	0.63	0.80	0.78	0.94	0.98	1.12	1.09
Midwest	0.54	0.54	0.66	0.62	0.81	0.76	0.90	0.93
South	0.47	0.53	0.58	0.58	0.71	0.76	0.87	0.96
West	0.75	0.69	0.92	0.90	1.06	0.97	1.29	1.28
COUNTY TYPE								
Large Metro	0.42	0.43	0.52	0.53	0.58	0.60	0.78	0.81
Small Metro	0.51	0.53	0.62	0.62	0.77	0.82	0.89	0.94
250K – 1 Mil. Pop.	0.62	0.63	0.83	0.75	0.97	0.98	1.03	1.07
< 250K Pop.	0.90	1.01	0.86	1.09	1.25	1.51	1.65	1.75
Nonmetro	0.69	0.69	0.90	0.73	1.14	0.98	1.04	1.10
Urbanized	1.08	0.95	1.33	1.06	1.93	1.31	1.66	1.59
Less Urbanized	0.94	1.06	1.35	1.11	1.54	1.51	1.51	1.64
Completely Rural	1.96	2.14	2.35	2.78	2.98	3.58	2.78	3.16
POVERTY LEVEL¹								
Less Than 100%	0.85	0.82	0.73	0.69	1.22	1.14	2.26	2.06
100-199%	0.64	0.69	0.71	0.71	0.93	1.07	1.25	1.29
200% or More	0.35	0.35	0.53	0.53	0.51	0.51	0.58	0.58
EDUCATION								
< High School	0.91	0.85	0.81	0.93	1.29	1.23	1.62	1.57
High School Graduate	0.50	0.53	0.60	0.56	0.77	0.80	0.87	0.92
Some College	0.57	0.57	0.67	0.59	0.87	0.87	1.04	1.08
College Graduate	0.54	0.51	0.89	0.93	0.68	0.70	0.97	0.88
HEALTH INSURANCE²								
Private	0.34	0.34	0.49	0.47	0.49	0.49	0.59	0.58
Medicaid/CHIP ³	1.07	1.11	0.86	0.92	1.58	1.52	2.49	2.45
Other ⁴	0.67	0.71	1.45	1.43	1.82	1.95	0.75	0.79
No Coverage	0.73	0.71	0.70	0.72	1.00	0.98	2.06	2.07

*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.3P Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	0.0584		0.0357		0.1296		0.3578	
GEOGRAPHIC REGION								
Northeast	0.0669		0.0716		0.0408		0.6755	
Midwest	0.7835		0.6131		0.5661		0.3353	
South	0.2316		0.1318		0.8144		0.3262	
West	0.4942		0.2661		0.1833		0.6821	
COUNTY TYPE								
Large Metro	0.0495		0.0467		0.0141		0.8878	
Small Metro	0.2543		0.2274		0.4401		0.4962	
250K – 1 Mil. Pop.	0.7909		0.3118		0.8654		0.9871	
< 250K Pop.	0.1500		0.5188		0.2688		0.3145	
Nonmetro	0.6771		0.7569		0.0296		0.2158	
Urbanized	0.4945		0.2113		0.0565		0.2278	
Less Urbanized	0.8529		0.7462		0.2166		0.2873	
Completely Rural	0.7333		0.2950		0.9615		0.6014	
POVERTY LEVEL¹								
Less Than 100%	0.3951		0.5512		0.8763		0.4336	
100-199%	0.1778		0.7943		0.4479		0.2790	
200% or More	0.4199		0.0563		0.1843		0.7514	
EDUCATION								
< High School	0.1177		0.3484		0.8741		0.0633	
High School Graduate	0.0197		0.9564		0.0906		0.0975	
Some College	0.6023		0.1448		0.3431		0.6870	
College Graduate	0.5677		0.0377		0.6895		0.1494	
HEALTH INSURANCE²								
Private	0.2218		0.0164		0.7844		0.4417	
Medicaid/CHIP ³	0.2291		0.2198		0.5690		0.4074	
Other ⁴	0.0370		0.8074		0.0891		0.1166	
No Coverage	0.3314		0.8114		0.1265		0.7852	

*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.